

Product Datasheet model astrospec 2.0 9164 065

**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

**Product
characteristics**

- innovative development of the world's most popular uvex astrospec spectacles
- panoramic lens with integrated side protectors for optimum protection of the whole eye area
- reliable protection provided by its perfect fit: multi-level side arm inclination allows the wearer to adjust the spectacles to suit their own face shape
- uvex ventilation system with labyrinth seal for enhanced eye comfort
- soft, non-slip sidearm pieces (uvex duo component technology) prevent pressure points
- fits easily into breast pocket due to flat-fold Design

Technical details	
Frame	
Material	Front piece PC+TPU
Colour	blue
Material	Side piece POM
Colour	grey
Material	Temple PC+TPU/TPE
Colour	blue-light blue
Manufacturer's ID code	Marking W
Applicable EN norm	166
Low-energy impact	F (45 m/s)
Resistance to high	T
speed particles at	
extremes of temperat.	
Conformity symbol	CE
Lens	
Material	PC
Thickness	2,2 mm
Coating	uvex supravision sapphire
Colour	clear
UV protection	UV 400

Filter	Marking
Manufacturer's ID code	2C-1,2 (DIN EN 170)
Optical class	W
Low-energy impact	1
Resistance to high speed particles at extremes of temperat.	F (45 m/s)
Surface resistance to fine particles	T
Conformity symbol	K
Factory symbol	CE
	
Miscellaneous	
Weight	
Packing	37 g
Standards	5 spectacles per box
	160 spectacles per cardboard box
	DIN EN 166 + DIN EN 170
PPE Category	Category II